

BLUMEN GROUP SPA

X303304 - FITO LUCIDANTE SPRAY 600ML

Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 1/18 Replaced revision:3 (Dated: 15/07/2021)

		ata Sheet tion 2020/878 and to Annex II to UK R	EACH
SECTION 1. Identification of the subst	ance/mixtur	e and of the company/und	lertaking
Product name	K303304 FITO LUCIDANTE GQUM-F0S6-D20/		
1.2. Relevant identified uses of the substance or mix	cture and uses ac	lvised against	
	ndustrial	Professional	Consumer
Foliage polisher	-	-	✓
Uses Advised Against			
Do not use for uses other than those indicated			
 1.3. Details of the supplier of the safety data sheet Blumen Group S.p.a. Via Carlo Strinati 7/9 - Loc. Le Mose 29122 Piacenza (PC) Italy tel. +39 0523 573211 fax +39 0523 573298 mail: msds@blumen.it 			
	BERGEN S.r.I. +39 045512090		
	08.30 - 17.30)		
SECTION 2. Hazards identification			
2.1. Classification of the substance or mixture The product is classified as hazardous pursuant to the supplements). The product thus requires a safety datashe			
Any additional information concerning the risks for health			
Hazard classification and indication: Aerosol, category 1	H222 H229	Extremely flammable ae Pressurised container: n	
Skin irritation, category 2 Specific target organ toxicity - single exposure, category Hazardous to the aquatic environment, chronic toxicity, category 2	H315 3 H336 H411	Causes skin irritation. May cause drowsiness o Toxic to aquatic life with	



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 2/18 Replaced revision:3 (Dated: 15/07/2021)

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Hazard statements:

H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.
P501	Dispose of contents / container to []
Contains:	HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE

Ingredients according to Regulation (EC) No. 648/2004

30% and more aliphatic hydrocarbons

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant



 Revision nr. 4

 Dated 30/01/2023

 Printed on 30/01/2023

 3/18

 Replaced revision:3 (Dated: 15/07/2021)

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE		
CAS 64742-49-0	$30 \le x < 32,5$	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, STOT SE 3 H336,
EC 931-254-9		Aquatic Chronic 2 H411
INDEX -		
REACH Reg. 01-2119484651-34		
BUTANE		
CAS 106-97-8	21 ≤ x < 22,5	Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: C, U
EC 203-448-7		
INDEX 601-004-00-0		
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics CAS -	12 ≤ x < 13,5	Flam. Liq. 3 H226, Asp. Tox. 1 H304, EUH066
EC 918-167-1		
INDEX -		
REACH Reg. 01-2119472146-39		
PROPANE		
CAS 74-98-6	10,5 ≤ x < 12	Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U
EC 200-827-9		
INDEX 601-003-00-5		
REACH Reg. 01-2119486944-21		
isobutane		
CAS 75-28-5	7≤x< 8	Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: C, U
EC 200-857-2		
INDEX -		
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics CAS 246538-78-3	7≤x< 8	Asp. Tox. 1 H304, EUH066
EC 920-901-0		
INDEX -		
REACH Reg. 01-2119456810-40		
WHITE MINERAL OIL (PETROLEUM) CAS 8042-47-5	2≤x< 2,5	Asp. Tox. 1 H304
EC 232-455-8		
INDEX -		
REACH Reg. 01-2119487078-27		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.



Revision nr. 4 Dated 30/01/2023

Printed on 30/01/2023 4/18 Replaced revision:3 (Dated: 15/07/2021)

Percentage of propellants: 41,00 %

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 5/18 Replaced revision:3 (Dated: 15/07/2021)

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

Storage class TRGS 510 (Germany): 2B

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ,
	·	СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари
		2020r.)
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.
		MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher
		Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών
		2017/2398/EE, 2019/130/EE και 2019/983/EE «για την τροποποίηση της οδηγίας 2004/37/EK ``σχετικά με
		την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή
	· · · · · · · · · · · · · · · · · · ·	μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők
		hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu,
	No de de col	graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste
DOI	Delete	lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie
		w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowiely procy
DOLL	D ŝ i	środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea



Revision nr. 4

Dated 30/01/2023

Printed on 30/01/2023 6/18

								Replaced revision:3 (Date	ed: 15/07/2021)
SVN	Slovenija		Pravilnik o varov RS, št. 100/01, 3	39/05, 53/07, 102/	ed tveganji zaradi	izpostavljenosti	i kemičnim s	novem pri delu (Uradr	ii list
GBR	United Kingdom TLV-ACGIH		ZVZD-1, 38/15, EH40/2005 Worl ACGIH 2021	78/18 in 78/19) kplace exposure li	imits (Fourth Edit	ion 2020)			
	RBONS, C6, ISOA erived no-effect le	vel - DNEL / D Effects on				Effects on			
Route of exp	osure	consumers Acute local	Acute systemic	Chronic local	Chronic systemic	workers Acute local	Acute systemic	Chronic local	Chronic systemic
Oral					1301 mg/kg bw/d				
Inhalation					1131 mg/m3				5306 mg/m3
Skin					1377 mg/kg bw/d				13964 mg/kg bw/d
BUTANE Threshold	Limit Value								
Туре		Country	TWA/8h		STEL/15min		Rema		
			mg/m3	ppm	mg/m3	ppm	Obse	rvations	
TLV		BGR	1900						
AGW		DEU	2400	1000	9600	4000			
MAK		DEU	2400	1000	9600	4000			
TLV		DNK	1200	500					
VLA		ESP		1000				Gases	
VLEP		FRA	1900	800					
TLV		GRC	2350	1000					
AK		HUN	2350		9400				
GVI/KGVI		HRV	1450	600	1810	750			
TGG		NLD	1430						
NDS/NDSCh	1	POL	1900		3000				
MV		SVN	2400	1000	9600	4000			
WEL		GBR	1450	600	1810	750			
WEL		GBR		4			RESE	þ	
TLV-ACGIH						1000			
PROPANE	Limit Value								
Туре		Country	TWA/8h		STEL/15min		Rema	arks / rvations	
			mg/m3	ppm	mg/m3	ppm	0036		
TLV		BGR	1800						
AGW		DEU	1800	1000	7200	4000			
MAK		DEU	1800	1000	7200	4000			
TLV		DNK	1800	1000					
VLA		ESP		1000					
TLV		GRC	1800	1000					
NDS/NDSCh	1	POL	1800						



Revision nr. 4

Dated 30/01/2023

Printed on 30/01/2023

Replaced revision:3 (Dated: 15/07/2021)

TLV	ROU	1400	778	1800	1000		
	Noo	1100	110	1000	1000		
MV	SVN	1800	1000	7200	4000		
isobutane							
Threshold Limit Va	lue						
Туре	Country	TWA/8h		STEL/15min	I	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	2400	1000	9600	4000		
MAK	DEU	2400	1000	9600	4000		
WHITE MINERAL O	IL (PETROLEUM)						

Health - Derived no-er	IECTIEVEL - DIVLL / L							
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				40 mg/kg bw/d				
Inhalation				35 mg/m3				160 mg/m3
Skin				93 mg/kg bw/d				220 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION None required.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

values considered. The protection provided by masks is in any case limited.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 8/18 Replaced revision:3 (Dated: 15/07/2021)

environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance Colour	aerosol colourless	Method:not specified
Odour Melting point / freezing point	characteristic not available	Method:not specified
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit Upper explosive limit Flash point	1,8 % (v/v) 9,5 % (v/v) not available	Method:Not specified Method:Not specified
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	not available	
Kinematic viscosity	not available	
Solubility Partition coefficient: n-octanol/water	insoluble in water not available	Method:not specified
Vapour pressure	not available	
Density and/or relative density Relative vapour density	0,731 g/cm3 not available	Method:not specified
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties

Oxidising properties

lower propellant explosionMethod:not specifiedlimit: 1.8%the product is not an oxidizingMethod:not specifiedsubstanceMethod:not specified

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 9/18 Replaced revision:3 (Dated: 15/07/2021)

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available



Revision nr. 4

Dated 30/01/2023

Printed on 30/01/2023 10/18 Replaced revision:3 (Dated: 15/07/2021)

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)
HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE	
LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):	> 5 mg/kg rabbit > 25 mg/kg rat 73860 mg/l/4h rat
BUTANE	
LC50 (Inhalation gas):	1443 mg/l
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	
LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):	> 2000 mg/kg rat > 5000 mg/kg rat > 4951 mg/l/4h rat
isobutane	
LC50 (Inhalation gas):	1443 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	
LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):	> 2000 mg/kg rat > 5000 mg/kg rat > 4951 mg/l/4h rat
SKIN CORROSION / IRRITATION	
Causes skin irritation	
SERIOUS EYE DAMAGE / IRRITATION	
Does not meet the classification criteria for this hazard class	
RESPIRATORY OR SKIN SENSITISATION	
Does not meet the classification criteria for this hazard class	
Respiratory sensitization	



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 11/18 Replaced revision:3 (Dated: 15/07/2021)

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

May cause drowsiness or dizziness



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 12/18 Replaced revision:3 (Dated: 15/07/2021)

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Excluded because the aerosol does not allow the accumulation of a significant amount of product in the mouth

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. 12.1. Toxicity

BUTANE LC50 - for Fish

24,11 mg/l/96h



EC50 - for Crustacea	7,02 mg/l/48h
EC50 - for Algae / Aquatic Plants	7,71 mg/l/72h
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	
LC50 - for Fish	> 1000 mg/l/96h Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - for Crustacea	> 1000 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	> 1000 mg/l/72h Pseudokirchneriella subcapitata
HYDROCARBONS, C6, ISOALKANES, <5%	
LC50 - for Fish	> 1 mg/l/48h 48h e non 96h
EC50 - for Crustacea	21,85 mg/l/48h EL50 e non LC50
EC50 - for Algae / Aquatic Plants	2,66 % v/v 10d
Chronic NOEC for Fish	2,8 mg/l 28d NOELR e non NOEC
Chronic NOEC for Crustacea	4,888 mg/l 21d NOELR e non NOEC
Chronic NOEC for Algae / Aquatic Plants	2,077 mg/I NOELR e non NOEC
PROPANE	
LC50 - for Fish	24,11 mg/l/96h
EC50 - for Crustacea	7,02 mg/l/96h
EC50 - for Algae / Aquatic Plants	7,71 mg/l/72h
isobutane	
LC50 - for Fish	24,11 mg/l/96h
EC50 - for Algae / Aquatic Plants	7,71 mg/l/72h
Hydrocarbons, C11-C12, isoalkanes, <2%	
aromatics	
LC50 - for Fish	> 1000 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	> 1000 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	> 1000 mg/l/72h Pseudokirchneriella subcapitata
12.2. Persistence and degradability	
BUTANE	
Solubility in water	0,1 - 100 mg/l
Rapidly degradable	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Rapidly degradable	
HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE Rapidly degradable	
PROPANE	



Revision nr. 4
Dated 30/01/2023
Printed on 30/01/2023
14/18
Replaced revision:3 (Dated: 15/07/2021)

Solubility in water Rapidly degradable	0,1 - 100 mg/l
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics Rapidly degradable 12.3. Bioaccumulative potential	
BUTANE	
Partition coefficient: n-octanol/water	1,09
HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE BCF	501,187
PROPANE	
Partition coefficient: n-octanol/water	1,09
12.4. Mobility in soil	
HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE Partition coefficient: soil/water	3,34
12.5. Results of PBT and vPvB assessment	
On the basis of available data, the product does not contain any	PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation. 12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 15/18 Replaced revision:3 (Dated: 15/07/2021)

14.1. UN number or ID number

ADR / RID, IMDG, IATA:

14.2. UN proper shipping name

ADR / RID:	AEROSOLS
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

1950

14.3. Transport hazard class(es)

ADR / RID:	Class: 2	Label: 2.1
IMDG:	Class: 2	Label: 2.1
IATA:	Class: 2	Label: 2.1



14.4. Packing group

ADR / RID, IMDG, IATA:

14.5. Environmental hazards

ADR / RID:	Environmentally Hazardous	
IMDG:	Marine Pollutant	

IATA: NO

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: Special provision: -	Limited Quantities: 1 L	Tunnel restriction code: (D)
IMDG:	EMS: F-D, S-U	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 150 Kg	Packaging instructions: 203
	Pass.:	Maximum quantity: 75 Kg	Packaging instructions: 203
	Special provision:	A145, A167, A802	200

14.7. Maritime transport in bulk according to IMO instruments



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 16/18 Replaced revision:3 (Dated: 15/07/2021)

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P3a-E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

40

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 3: Severe hazard to waters



Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 17/18 Replaced revision:3 (Dated: 15/07/2021)

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1A	Flammable gas, category 1A
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Flam. Liq. 2	Flammable liquid, category 2
Press. Gas (Liq.)	Liquefied gas
Asp. Tox. 1	Aspiration hazard, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit



BLUMEN GROUP SPA

X303304 - FITO LUCIDANTE SPRAY 600ML

Revision nr. 4 Dated 30/01/2023 Printed on 30/01/2023 18/18 Replaced revision:3 (Dated: 15/07/2021)

TWA STEL: Short-term exposure limit

VOC: Volatile organic Compounds

- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (EU) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- FCHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.