



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 1/17

Replaced revision:2 (Printed on: 01/12/2022)

## Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: **X303302 FFB12001/C**  
Product name: **X303302 - FITO LEAF BALM 300ML**  
UFI: **XXQ0-20Y3-M00U-9X2J**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **LEAF BALM**

Identified Uses	Industrial	Professional	Consumer
LEAF BALM	-	-	✓

#### 1.3. Details of the supplier of the safety data sheet

Blumen Group S.p.a.  
Via Carlo Strinati 7/9 - Loc. Le Mose  
29122 Piacenza (PC) Italy

tel. +39 0523 573211  
fax +39 0523 573298

mail: [msds@blumen.it](mailto:msds@blumen.it)

#### 1.4. Emergency telephone number

For urgent inquiries refer to **0039-02-90960289 (8.00 am - 18 pm mon-fri) Per emergenze/For emergency only : +39 3420154736**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Aerosol, category 1  
H222  
H229  
Extremely flammable aerosol.  
Pressurised container: may burst if heated.

#### 2.2. Label elements



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 2/17

Replaced revision:2 (Printed on: 01/12/2022)

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

**H222** Extremely flammable aerosol.  
**H229** Pressurised container: may burst if heated.  
**EUH066** Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

**P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
**P251** Do not pierce or burn, even after use.  
**P410+P412** Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.  
**P211** Do not spray on an open flame or other ignition source.

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
<b>BUTANE</b>		
CAS 106-97-8	$9 \leq x < 30$	Flam. Gas 1A H220, Classification note according to Annex VI to the CLP Regulation: C, U
EC 203-448-7		
INDEX 601-004-00-0		
REACH Reg. 01-2119474691-32-XXXX		
<b>PARAFFINUM LIQUIDUM</b>		
CAS 8042-47-5	$10 \leq x < 30$	Asp. Tox. 1 H304



# BLUMEN GROUP SPA

## FFB12001/C X303302 - FITO LEAF BALM 300ML

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 3/17

Replaced revision:2 (Printed on: 01/12/2022)

EC 232-455-8

INDEX -

REACH Reg. 01-2119487078-27

### ISOPAR L

CAS -  $10 \leq x < 30$  Asp. Tox. 1 H304, EUH066

EC 920-901-0

INDEX -

REACH Reg. 01-2119456810-40-0000

### PROPANE

CAS 74-98-6  $9 \leq x < 30$  Flam. Gas 1A H220, Classification note according to Annex VI to the CLP Regulation: U

EC 200-827-9

INDEX 601-003-00-5

REACH Reg. 01-2119486944-21-XXXX

### ISOBUTANE

CAS 75-28-5  $9 \leq x < 30$  Flam. Gas 1A H220, Classification note according to Annex VI to the CLP Regulation: C, U

EC 200-857-2

INDEX 601-004-00-0

REACH Reg. 01-2119485395-27-XXXX

### INDOPOL Polybutene H-7

CAS 9003-29-6  $5 \leq x < 9$

EC

INDEX -

### DIMETHICONE

CAS 63148-62-9  $1 \leq x < 5$

EC

INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 51,52 %

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

**SKIN:** Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

**INHALATION:** Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

**INGESTION:** Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.



## BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 4/17

Replaced revision:2 (Printed on: 01/12/2022)

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

##### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

##### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

##### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

#### 5.3. Advice for firefighters

##### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

##### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### SECTION 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

#### 6.2. Environmental precautions

Do not disperse in the environment.

#### 6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 5/17

Replaced revision:2 (Printed on: 01/12/2022)

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	TLV-ACGIH RCP TLV	ACGIH 2021 ACGIH TLVs and BEIs – Appendix H

### BUTANE

#### Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
		mg/m <sup>3</sup>	ppm	
		mg/m <sup>3</sup>	ppm	
TLV-ACGIH		1000	1000	

### LIGHT VASELINE OIL

#### Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
		mg/m <sup>3</sup>	ppm	
		mg/m <sup>3</sup>	ppm	
AGW	DEU	5	20	

#### Health - Derived no-effect level - DNEL / DMEL



# BLUMEN GROUP SPA

## FFB12001/C X303302 - FITO LEAF BALM 300ML

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 6/17

Replaced revision:2 (Printed on: 01/12/2022)

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		40 mg/kg bw/d						
Inhalation				35 mg/m3				160 mg/m3
Skin				93 mg/kg bw/d				220 mg/kg bw/d

### Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
RCP TLV		1200	171			INHAL

### PROPANE

#### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	1800	1000	7200	4000	
TLV	DNK	1800	1000	3600	2000	
VLA	ESP		1000			
RV	LVA	1800	1000			
NDS/NDSch	POL	1800				
TLV	ROU	1400	778	1800	1000	

### ISOBUTANE

#### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH			1000		1000	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

## HAND PROTECTION

None required.



## BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 7/17

Replaced revision:2 (Printed on: 01/12/2022)

### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	aerosol	
Colour	colourless	
Odour	typical	
Melting point / freezing point	Not available	
Initial boiling point	Not applicable	
Flammability	flammable gas	
Lower explosive limit	1,8 % (v/v)	
Upper explosive limit	9,5 % (v/v)	
Flash point	Not applicable	
Auto-ignition temperature	Not available	
pH	Not applicable	
Kinematic viscosity	Not available	
Solubility	insoluble in water	
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	0,66	
Relative vapour density	Not available	
Particle characteristics	Not applicable	

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Information not available

#### 9.2.2. Other safety characteristics



## BLUMEN GROUP SPA

### FFB12001/C X303302 - FITO LEAF BALM 300ML

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 8/17

Replaced revision:2 (Printed on: 01/12/2022)

Total solids (250°C / 482°F)	0 %
VOC (Directive 2010/75/EU)	70,00 % - 465,40 g/litre
VOC (volatile carbon)	0
Flash point	<- 60°C (ref. propellant)
Pressure (bar)	3-4 BAR

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

Avoid overheating.

### 10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

### 10.6. Hazardous decomposition products

Information not available

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics  
ISOPAR L

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008





# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 9/17

Replaced revision:2 (Printed on: 01/12/2022)

## Metabolism, toxicokinetics, mechanism of action and other information

Information not available

## Information on likely routes of exposure

Information not available

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

## Interactive effects

Information not available

## ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	Not classified (no significant component)
ATE (Dermal) of the mixture:	Not classified (no significant component)

## BUTANE

LC50 (Inhalation vapours):	658 mg/l/4h
----------------------------	-------------

## LIGHT VASELINE OIL

LD50 (Dermal):	> 2000 mg/kg ratto
LD50 (Oral):	> 5000 mg/kg ratto
LC50 (Inhalation mists/powders):	> 5000 mg/l/4h

## Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 5000 mg/kg
LC50 (Inhalation vapours):	> 5000 mg/m3

## PROPANE

LC50 (Inhalation mists/powders):	800000 ppm/15 min
LC50 (Inhalation vapours):	658 mg/l/4h



# BLUMEN GROUP SPA

## FFB12001/C X303302 - FITO LEAF BALM 300ML

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 10/17

Replaced revision:2 (Printed on: 01/12/2022)

### ISOBUTANE

LC50 (Inhalation vapours): 52000 ppm/1h

### INDOPOL Polybutene H-7

LD50 (Dermal): > 10250 mg/kg coniglio  
LD50 (Oral): > 34600 mg/kg ratto

### DIMETHICONE

LD50 (Dermal): > 2000 mg/kg CONIGLIO  
LD50 (Oral): > 15400 mg/kg

### SKIN CORROSION / IRRITATION

Repeated exposure may cause skin dryness or cracking.

### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### Respiratory sensitization

Information not available

#### Skin sensitization

Information not available

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 11/17

Replaced revision:2 (Printed on: 01/12/2022)

## CARCINOGENICITY

Does not meet the classification criteria for this hazard class

## REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### Adverse effects on sexual function and fertility

Information not available

### Adverse effects on development of the offspring

Information not available

### Effects on or via lactation

Information not available

## STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

### Target organs

Information not available

### Route of exposure

Information not available



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 12/17

Replaced revision:2 (Printed on: 01/12/2022)

## STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

## Target organs

Information not available

## Route of exposure

Information not available

## ASPIRATION HAZARD

Excluded because the aerosol does not allow the accumulation of a significant amount of product in the mouth

### **11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### **12.1. Toxicity**

Hydrocarbons, C11-C13, isoalkanes, <2%  
aromatics

LC50 - for Fish 1000 mg/l/96h

EC50 - for Crustacea 1000 mg/l/48h

EC50 - for Algae / Aquatic Plants 1000 mg/l/72h

DIMETHICONE

LC50 - for Fish 200 mg/l/96h

INDOPOL Polybutene H-7



## BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 13/17

Replaced revision:2 (Printed on: 01/12/2022)

LC50 - for Fish > 1000 mg/l/96h

EC50 - for Crustacea > 1000 mg/l/48h

### 12.2. Persistence and degradability

#### BUTANE

Rapidly degradable

#### LIGHT VASELINE OIL

Entirely degradable

Hydrocarbons, C11-C13, isoalkanes, <2%  
aromatics

Rapidly degradable

#### DIMETHICONE

NOT rapidly degradable

#### INDOPOL Polybutene H-7

NOT rapidly degradable

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

### 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 14/17

Replaced revision:2 (Printed on: 01/12/2022)

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

**SPECIFIC TRANSPORT IS FREE OF ADR BECAUSE IN LIMITED QUANTITY (CYLINDER <1 LITER; BOX <30 KG).**

### 14.1. UN number or ID number

ADR / RID, IMDG, 1950  
IATA:

### 14.2. UN proper shipping name

ADR / RID: AEROSOLS  
IMDG: AEROSOLS  
IATA: AEROSOLS, FLAMMABLE

### 14.3. Transport hazard class(es)

ADR / RID: Class: 2 Label: 2.1  
IMDG: Class: 2 Label: 2.1  
IATA: Class: 2 Label: 2.1



### 14.4. Packing group

ADR / RID, IMDG, -  
IATA:

### 14.5. Environmental hazards

ADR / RID: NO  
IMDG: NO  
IATA: NO

### 14.6. Special precautions for user

ADR / RID: HIN - Kemler: -- Limited Tunnel



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 15/17

Replaced revision:2 (Printed on: 01/12/2022)

IMDG:	Special provision: - EMS: F-D, S-U	Quantities: 1 L	restriction code: (D)
IATA:	Cargo:  Pass.:  Special provision:	Limited Quantities: 1 L Maximum quantity: 150 Kg Maximum quantity: 75 Kg A145, A167, A802	Packaging instructions: 203 Packaging instructions: 203

## 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P3a

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product  
Point 40

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:



# BLUMEN GROUP SPA

**FFB12001/C X303302 - FITO LEAF BALM  
300ML**

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 16/17

Replaced revision:2 (Printed on: 01/12/2022)

None

## Healthcare controls

Information not available

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Flam. Gas 1A</b>	Flammable gas, category 1A
<b>Aerosol 1</b>	Aerosol, category 1
<b>Aerosol 3</b>	Aerosol, category 3
<b>Asp. Tox. 1</b>	Aspiration hazard, category 1
<b>H220</b>	Extremely flammable gas.
<b>H222</b>	Extremely flammable aerosol.
<b>H229</b>	Pressurised container: may burst if heated.
<b>H304</b>	May be fatal if swallowed and enters airways.
<b>EUH066</b>	Repeated exposure may cause skin dryness or cracking.

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.





# BLUMEN GROUP SPA

## FFB12001/C X303302 - FITO LEAF BALM 300ML

Revision nr. 3

Dated 06/03/2023

Printed on 06/03/2023

Page n. 17/17

Replaced revision:2 (Printed on: 01/12/2022)

- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
  4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2019/521 (XII Atp. CLP)
  16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
  17. Regulation (EU) 2019/1148
  18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
  19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
  20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
  21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

### Changes to previous review:

The following sections were modified:

01.